NaturinForm



We create your favourite spots

Products 2026

naturinform.com



Contents

About us

5 Products
8 About us
10 WPC products
12 Sustainability
14 Mounting accessories
16 Exclusive *Line*
18 Inspiration
20 Piazza Family

01 Patio

NEW 24 Piazza Prima
NEW 26 Piazza Mondo
NEW 28 Piazza One
NEW 30 Piazza Pro
32 Natureline
34 Exclusive
36 Urban *flair*
38 Robust
40 Popular *massive*
42 Smart
44 Smart *click*
46 Strong
48 Compact
50 Compact *honeycomb*
52 Compact *honeycomb plus*

02 Facades

56 Creative
58 Creative *exclusive*

03 Bench profile

NEW 62 Constructive 65

04 Fence systems

66 Effective
68 Flexible

Information

70 Colour overview
82 Special colours
84 Interesting facts

Current and valid versions can be found at www.naturinform.com.

This brochure was prepared with the utmost care and it is being constantly updated. The information contained in this document was correct at the time of publication. However, no liability can be accepted for any errors. The print quality may vary.



Products

Co-extruded massive deck

Product	Monochrome	Multicoloured	Page
 NEW **Piazza Prima** ca. 140 × 19 mm		Oak Brown Royal Elm Nutmeg Nordic Ash Graphite Grey Streaked Ebony	24
 NEW **Piazza Mondo** ca. 140 × 21 mm	Cream White	Ivory Californian Oak Oak Brown Royal Elm Ipé Nuances Graphite Grey Streaked Ebony	26
 NEW **Piazza One** ca. 140 × 25 mm		Ivory Californian Oak Royal Elm Silver Teak Streaked Ebony	28
 NEW **Piazza Pro** ca. 140 × 25 mm		Ivory Californian Oak Royal Elm Silver Teak Streaked Ebony	30

Massive patio decks

Product	Monochrome	Multicoloured	Page
 **Natureline** ca. 140 × 21 mm		Oak Brown Amber Brown Chestnut Brown Graphite Grey Basalt Grey	32
 **Exclusive** ca. 140 / 162 / 200 / 245 × 21 mm	Terra Brown Lava Grey	Oak Brown Amber Brown Chestnut Brown Graphite Grey Basalt Grey	34
 **Urban *flair*** ca. 162 × 21 mm	Linen Sisal Clay Pebble Lava Grey		36

Products

Massive patio decks

Product		Monochrome	Multicoloured	Page
	**Robust** ca. 140 × 21 mm	Terra Brown Black Brown Grey Anthracite		**38**
	**Popular *massive*** **With general building inspectorate** ca. 139 × 26 mm	Brown Black Brown Grey Stone Grey Anthracite		**40**
	**Smart** **Zero degree deck** ca. 139 × 19 mm	Terra Brown Black Brown Grey Anthracite	Oak Brown Amber Brown Chestnut Brown Graphite Grey Basalt Grey	**42**
	**Smart *click*** **Zero degree deck for click system** ca. 119 × 22 mm	Grey Anthracite	Chestnut Brown Graphite Grey	**44**
	**Strong** **Bearing deck** ca. 140 × 38 mm	Black Brown Grey Anthracite		**46**
	**Compact** ca. 139 × 21 mm	Black Brown Grey Anthracite		**48**

Honeycomb profile decks

Product		Monochrome	Multicoloured	Page
	**Compact *honeycomb*** ca. 139 × 21 mm	Black Brown Grey Anthracite		**50**
	**Compact *honeycomb plus*** ca. 140 × 21 mm		Oak Brown Chestnut Brown Graphite Grey	**52**

Facade profile

Product		Monochrome	Multicoloured	Page
	**Creative** ca. 70 / 103 / 152 × 17 mm		Oak Brown Amber Brown Chestnut Brown Graphite Grey	56
	**Creative *exclusive*** ca. 70 / 103 / 152 × 17 mm	Terra Brown Lava Grey	Oak Brown Amber Brown Chestnut Brown Graphite Grey Basalt Grey	58

Bench profile

Product		Monochrome	Multicoloured	Page
NEW 	**Constructive 65** ca. 65 × 40 mm	Amber Brown Black Brown Grey		62

Privacy shield and noise protection

Product		Monochrome	Multicoloured	Page
	**Effective** ca. 180 × 178 cm	Titanium Grey Anthracite	Chestnut Brown	66
	**Flexible** ca. 180 × 180 cm	Titanium Grey Anthracite	Chestnut Brown	68



Scan the QR code now & find out more

Over 20 years of expertise.

At your service for over 20 years. As a leading expert for WPC products, we transform your patio, facade and surroundings into your favourite place. Experience first-class privacy, sound and sun protection – for special moments.

Our material
Manufacturing our high-quality WPC products, we rely on quality and many years of experience. We only use leftover fibres from the domestic wood industry, stemming 100 % from PEFC-certified forestry.

To achieve optimal material characteristics for use outdoors, we add 30 % food-safe, pure polymer to the 70 % wood fibre content, thereby producing quality products that are durable and recyclable.

Commitment to quality
Our quality management ensures our material retains the same high quality by conducting regular inspections. As a member of the Qualitätsgemeinschaft Holzwerkstoffe e. V., the quality association for wood materials, NaturinForm is a driver for established quality production.



Slip-resistant
Slip resistance classes 9–13
DIN 51130



Safety of toys
DIN EN 71-3:2019



Very durable
Durability class 1
DIN CEN/TS 15083-1



Fire behaviour
Class E, comparable to wood
DIN EN 13501-1

Take a break and enjoy!

Our products are not only durable, weather-proof and sustainable, but also particularly easy to maintain.

Colours und surfaces
A natural wooden look, elegant stamping, wide block stripes or finely striated? We have the right design for any taste! Be inspired by our large colour range and keep a good conscience. Our products only contain colourants that are harmless to human and animal health. We use colour pigments to achieve a natural colour. The colouring permeates the deck and therefore cannot peel off, unlike externally applied colour or varnish.

Lengths up to 13 metres
In addition to our classic 3-6 metres standard lengths, we offer our waste-optimised special lengths on request. Depending on your project, we can provide you with lengths from 2-13 metres, thereby creating a beautiful, homogenous surface impression – saving time during assembly and preventing ugly joints.

Extremely low-maintenance
Our low-maintenance decking boards give you time to really enjoy your favourite spot. Unlike traditional wooden planks, our decking boards do not require oiling or painting. No environmentally harming cleaning agents or any other care products will be washed into the wastewater. In most cases all you need to clean our decking boards is pure water.

Easy to lay
Processing our material is very quick and easy. Unlike wood, there is no waste from knotholes or bent planks. Our ingenious accessory system provides efficient solutions for every construction situation.



Low-maintenance
Environmentally friendly cleaning, suitable for high-pressure cleaners



No painting, No oiling



Scan the QR code to find dealer online



Scan the QR code to discover more

High quality and sustainably produced.

The perfect combination: high quality material with sustainable application characteristics.

Keeping raw materials in the cycle
At our site in Northern Bavaria, we make sure our product lifecycles are ecologically appropriate from production through processing and even beyond to an ecologically correct product life cycle. We obtain 100 % green power in the process.

100 % recyclable
We produce with next to no waste. Leftovers from production or old material from our customers are re-fed into the production cycle. Our WPC products can be recycled up to 25 times – creating a product lifecycle of up to 625 years. For this, we offer take-back options, such as, for example, our Re-Form Recycling Box.

Environmentally aware
Be it in production, our choice of raw materials, or the reusability of our products: We make sure that our products can be processed and maintained in an environmentally-friendly way, and keep a close eye on using as little energy as possible on distribution and shipping.

Our products are shipped on optimized routes to avoid detours and unnecessary carbon emissions. In addition, we guarantee that all the sales and transportation packaging we distribute is recycled.

PEFC-certified
We upcycle waste wood fibres
from the domestic wood industry

Recyclable up to 25 times
100% recyclable
with our recycling system

Secure installation with our system

With our comprehensive installation system, we offer you everything you need for your project and help you with professional planning.

Well informed!
To ensure that you can start your project safely and professionally, we offer manuals and information material on assembly for all of our products. Take a look at our videos about our WPC products, for example mounting and laying videos, or exciting videos on subjects such as maintenance and cleaning.

Clever system
A patio can last for decades. To ensure this you need not only good structure and a high quality of decks, but also the right accessories and expertly laid patio decks. We offer you planning safety with our products and the appropriate accessories, as our accessories are especially aligned to the requirements on patios, facades and fences.

Online configurator
Just a few clicks to your new favourite spot. With our free online patio configurator, you can create your dream patio easily and comfortably at home and obtain a quote directly from a dealer near you. Our expert trade dealers will support you with advice and assistance regarding your patio project.

Order a free sample
See our products for yourself and take advantage of our free sample offer. The Ordering is quick and easy via our website.

Videos
Assembly and installation videos on our YouTube channel

Online configurator
Configure patio free of charge



Scan the QR code to discover the accessories catalogue



Scan the QR code to discover the Exclusive *Line* brochure

Exclusive *Line*

Perfect match: same surface for patio and facade!

Surface and colours
The *Exclusive Line's* matt, stamped surface is unique due to its fine, individually lined structure. It creates an especially even overall impression on the surface. Both of the *Exclusive line's* products, *Exclusive* and *Creative exclusive* are available in six common colours and additional further colour schemes, which can be combined perfectly.

Patio deck: *Exclusive*
From slim to extra wide: *Exclusive* is available in four different widths. The range spans from 140 mm to 162 and 200 mm, right up to 245 mm. With its elegant surface and thin joint measurements the patio deck is equally suitable for all favourite spots (s. page 34).

Facade profile: Creative *exclusive*
Creative exclusive can be used in three profile sizes (ca. 70 / 103 / 152 mm) as a facade system for new and existing buildings. Combined with appropriate insulation, it can be used as a curtain-type, rear-ventilated system. In addition, the profile can be used for special constructions, such as to build carports (s. page 58).

Inspiration
Visit us on Instagram, Facebook & Co

Sample service
Tip: Use our free online sample service

Get inspired!

Explore our versatile product line online using current references.

The durable alternative
When conventional outdoor wooden flooring has to be replaced after only 10 years despite time-consuming maintenance, many clients are looking for more durable and low-maintenance alternatives – which they can find with NaturinForm.

Imagine a warm summer day, barefoot at your favourite spot outdoors – and the good feeling of having made the right choice. The flooring feels pleasantly like wood and looks permanently well-kept – all without great effort.

Satisfied customers: private & commercial
Also a couple from Bochum was excited about this: The bangkirai flooring laid by the property developer, which no longer looked presentable despite great maintenance efforts, was replaced by NaturinForm's *Smart*. Today, they can happily enjoy their terrace instead of having to think about the next maintenance measure.

NaturinForm was also chosen for the renovation of the outdoor area of Coubertin Terrassen at the Munich Olympia Centre, which is used as a catering facility: The area of approx. 500 square metres was re-covered with *Popular massive* decking boards after various materials had been stress-tested.

Find out more about our customer projects online!

> 30 colours
Customised requests possible

Multiple surfaces
Ribbed, embossed or brushed



Scan
now &
get
inspired



Scan the QR code to discover the **Piazza Family brochure**

Piazza Family

Enjoy your new favourite spot to the fullest with the floorboards from the Piazza Family Piazza Prima, Piazza Mondo, Piazza One & Pro!



Extremely resilient
The boards feature a hard wearing surface layer and class leading strength properties. The Piazza range is designed to last.



Ultra low maintenance
With long term stain resistance guaranteed, the decking will normally only require a periodic wipe down with water and detergent to keep its looks. High-pressure cleaner can be used.



Colours that last
Enjoy lasting beautiful natural colour shades with low maintenance efforts. Thanks to the UV-resistant coating, the colours of the Piazza Family show long-term stability.



Zero-degree slope possible
Piazza Family decking boards can be installed on open, well-ventilated terraces (without joint profile tube) with a 0% slope.



Beautiful wood look
All decking boards are manufactured with a wood grain texture which is barefoot-friendly and hard-wearing, and provides safe footing both under wet and dry conditions.



Up to 25-year warranty
We offer a warranty of up to 25 years on the decking boards in the Piazza Family.


resilient and
easy to clean

Boards made from WPC
Whether it‘s the slip resistance of the boards, resistance to wood-destroying fungi, suitability for toys or fire behaviour – we offer you the highest quality made in Germany.

01

Patio decks

Piazza Prima

Reference in Oak Brown. **Discover more impressions here!**

Piazza Prima impresses with its particularly natural look. It is perfectly suited for private outdoor areas.



Piazza quality in a compact format
The *Piazza Prima* offers many of the benefits of the other boards in the Piazza range in a streamlined profile that is ideal for residential decks. The finely embossed surface structure and natural colour shades provide a beautiful wood look. The 360 degree surface coating offers long lasting colours, low maintenance and a hardwearing surface.

Version	Co-extruded massive deck, multicoloured
Format	width ca. 140 mm height ca. 19 mm
Surface	Wood look finely embossed
Slip resistance	R9
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	ca. 2 – 6 m at extra charge, delivery time on request
Colours	s. page 70
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 2,95 kg/m
Guarantee	20 years for private use

Piazza Mondo

Reference in Graphite Grey.
Discover more impressions here!

For all those who appreciate quality, durability and time-less design – no matter if commercial projects or perfect outdoor living at home.

NEW

*Discover the new Design Edition **Ipé Nuances** – a play of colours in shades of brown (more on p. 71)*



The perfect all-rounder

The combination of classic Piazza design, high functionality and robust quality makes the *Piazza Mondo* a real all-rounder. It is available in the tried and tested NaturinForm decking board formats of 140 × 21 mm and is intended for private garden areas as well as commercial applications, for example, hotel terraces, restaurant areas or public facilities. Thanks to its high colour stability and UV resistance, it keeps its attractive looks over time. The resistant surface can easily be cleaned and is impervious to stains and dirt.

Version	Co-extruded massive deck, monochrome and multi-coloured
Format	width ca. 140 mm height ca. 21 mm
Surface	Wood look embossed
Slip resistance	R10
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	ca. 2 – 6 m at extra charge, delivery time on request
Colours	s. page 70
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,23 kg/m
Guarantee	20 years for private use 10 years for public use

Piazza One

Reference in Silver Teak.
Discover more impressions here!

Piazza One is a solid co-extruded decking board that can be used for commercial, public and private applications.



The perfect all-rounder
Piazza One has been successfully installed across Europe since 2019. Its excellent colour durability, stain resistance and hard-wearing surface has been at the heart of its success. For 2026, thanks to the renewed core recipe, it can now be used for commercial and public decks, as well as private homes.

Version	Co-extruded massive deck, multicoloured
Format	width ca. 140 mm height ca. 25 mm
Surface	Wood look embossed
Slip resistance	R10
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	none
Colours	s. page 72
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,35 kg/m
Guarantee	25 years for private use 10 years for public use



Piazza Pro

Reference in Silver Teak.
Discover more impressions here!

By professionals for professionals. The high performance decking board for commercial large-scale projects.



The ultimate Piazza board
With its compelling robust 360 degree coating and its 25 mm thick full profile, the *Piazza Pro* is the strongest decking board of the Piazza Family. Its surface texture is resistant to UV radiation so that its colour remains stable also in the long run. The innovative advanced coating offers enhanced resistance to moisture, stains and scratches – for lasting beautiful surfaces with very low maintenance efforts. The *Piazza Pro* is the perfect decking board for exceptionally high loads in public and heavily frequented areas such as recreational facilities. Its superior strength properties enable the board to be installed with up to 50 cm spacing between the substructure joists.

Version	Co-extruded massive deck, multicoloured
Format	width ca. 140 mm height ca. 25 mm
Surface	Wood look embossed
Slip resistance	R10
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	none
Colours	s. page 72
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,88 kg/m
Guarantee	25 years for private use 10 years for public use

Natureline

Reference in Basalt Grey.
Discover more impressions here!

Inspired by nature, the decking board with individual, natural wood grain for a beautiful barefoot feeling.



Naturalness and well-being
Natureline translates all the beauty of wood into solid decking with a natural look and feel. An innovative process gives the wood composite decking an individual, natural and multicoloured wood grain and a pleasant surface structure. Its three warm wood tones – Oak Brown, Amber Brown, Chestnut Brown – and the two grey tones – Graphite Grey and Basalt Grey – are inspired by natural colours. And each decking is unique. NaturinForm is the first German manufacturer to offer a solid extruded and fully dyed multi-coloured decking of this premium quality.

Version	Massive deck, multicoloured
Format	width ca. 140 mm height ca. 21 mm
Surface	wood grain, finely brushed
Slip resistance	R12, wood grain
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 72
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,23 kg/m

Exclusive

Reference in Oak Brown. **Discover more impressions here!**

The exclusively embossed deck in narrow to extra-wide. Combine different decking formats.



Exclusive embossing
The selection ranges from 140 mm to 162 mm and 200 mm up to 245 mm. With its exclusive surface and narrow 5 mm joints, this patio deck is equally suitable for any kind of favourite spot. The matt stamped surface is characterised by a fine, individually lined structure, which creates an especially even look on the surface. The colour range offers monochrome and multicoloured shades. From light grey to dark brown, there is a suitable colour variant for every style and taste.

Version	Massive deck, monochrome and multicoloured
Format	width ca. 140 / 162 / 200 / 245 mm height ca. 21 mm
Surface	one-sided embossed, matt
Slip resistance	R11
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. pages 73
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 7 / 6 / 5 / 4 m patio decks
Weight 1 m	ca. 3,28 / 3,88 / 4,71 / 5,81 kg



Urban *flair*

Reference in Gravel.
Discover more impressions here!

Finely embossed deck for modern living in soft, light colours such as Linen and Pebble.



Puristically beautiful
The *Urban flair* patio deck is something very special and makes the hearts of individualists beat faster with its modern surface. Perfect for unagitated, contemporary architecture and modern living styles, which should also be continued outdoors. The new version with an unbrushed, finely grained surface is available in four soft, light natural colours - Linen, Sisal, Clay and Pebble and dark Lava Grey - with a finely grained, unbrushed surface. Thanks to the innovative deck cross section and our innovative laying aid, it is possible to achieve a joint gap of only 5 millimetres.

Please note: Light colours such as Linen, Sisal and Pebble may require more cleaning.

Version	Massive deck, monochrome
Format	width ca. 162 mm height ca. 21 mm
Surface	one-sided embossed, unbrushed
Slip resistance	–
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 74
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 6 m patio decks
Weight	ca. 4.20 kg

Robust

Reference in Brown.
Discover more impressions here!

Natural wood grain or finely striated, a classic massive deck for every favourite spot.



Intensive wood grain
Rustic look, yet elegant: The *Robust* has a noble, wood-like appearance thanks to its particularly intensive grain. It is ideal for lively celebrations, but also for quiet moments of relaxation. A favourite spot to enjoy. If you are planning an unusually shaped terrace with curves, this solid deck is perfect for this. Harmonious transitions to the garden can also be realised perfectly with it. Thanks to the high-quality wood composite material, you don't have to worry about splinters and cracks - as with all our decks.

Version	Massive deck, monochrome
Format	width ca. 140 mm height ca. 21 mm
Surface	wood grain, finely brushed / finely striated, unbrushed
Slip resistance	R12, wood grain R11, finely striated
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 74
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3.23 kg/m

Popular *massive*

Reference in Stone Grey. **Discover more impressions here!**

Planning security thanks to general building inspectorate approval for roof terraces and balconies.

Z-10.9-484
with general building inspectorate approval



General building inspectorate approval
Popular massive has been creating a relaxed leisure atmosphere on numerous terraces and balconies for many years. In 2017, as a specialist in wood composite materials made in Germany, we received the general building inspectorate approval (no. Z-10.9-484) for this. The German Institute for Building Technology in Berlin (DIBt) is thus granting approval for the first time for patio decking made of a wood composite material without it being related to a surface laid in combination. This means that the decking can be laid as a load-bearing floor outdoors – even in public buildings – without the need for additional measures for fall-through protection are required.

Please note: Laying must be done according to the approval regulations!

Version	Massive deck, monochrome
Format	width ca. 139 mm height ca. 26 mm
Surface	finely striated, brushed / widely striated, brushed
Slip resistance	R13, finely striated R13, widely striated
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 76
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3.62 kg/m

Smart



Reference in Graphite Grey. **Discover more impressions here!**

The “all-round carefree deck” for all areas where low installation height is important.

Pure relaxation
Smart is particularly easy to maintain and ideal for projects where no slope can be installed, for example in the area of renovation. Its slight curvature allows water to drain away automatically. The surface supports this effect and prevents the accumulation of weather or cleaning-related water on the outside surface. Thanks to the stone embossing on its surface, the zero-degree deck, like all our decks, is slip-resistant and barefoot-friendly. Despite its low weight, *Smart* has the advantages of a classic solid deck.



Version	Massive zero degree deck, monochrome and multi-coloured (matt)
Format	width ca. 139 mm height ca. 19 mm
Surface	one-sided embossed, unbrushed
Slip resistance	R10
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 76
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 2.77 kg/m



Smart *click*

Reference in Grey.
Discover more impressions here!

Our tried and tested zero-degree deck as click-in decking board for common click systems.

Zero-degree click deck
Smart click has a specially profiled bottom in addition to its concave surface. It can be attached to the substructure of standard click systems. In terms of maintenance and cleaning, the click deck has all the advantages of the classic version: water caused by weathering or cleaning can also drain away automatically here, preventing it from building up on the terrace. The deck can be laid without a slope. The surface is slip-resistant and barefoot-friendly.

Please follow the installation instructions provided by the manufacturer of the substructure and accessories.



Version	Massive zero degree deck, monochrome
Format	width ca. 119 mm height ca. 22 mm
Surface	one-sided embossed, matt, unbrushed
Slip resistance	R10
Standard lengths	ca. 4 m
Special lengths	–
Colours	s. page 77
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 8 m patio decks
Weight	ca. 2.85 kg/m



Strong

Reference in Brown.
Discover more impressions here!

Our 38-mm-high load-bearing decking is particularly stable and load-bearing, making it highly versatile.

Stability and naturalness
Our *Strong* load-bearing decking board is used as flooring for stairs, jetties, walkways, terraces or as seating. Thanks to its stability, it also offers solutions for spanning larger distances without the need for a complex load-bearing substructure. Visually, this deck is characterised by its natural wood grain. Thanks to the wood composite material used, the load-bearing decking boards are not only splinter-free, but also extremely easy to maintain, making them ideal for your favourite outdoor space.



Version	Massive bearing deck, monochrome
Format	width ca. 140 mm height ca. 38 mm
Surface	wood grain, finely brushed / finest striated, unbrushed
Slip resistance	R12, wood grain R12, finest striated
Standard lengths	ca. 4 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 78
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 6.31 kg/m

Compact

Reference in Grey.
Discover more impressions here!

Compact is a true all-rounder for private favourite spots & commercial buildings.

A classic solid decking board
Compact as a solid decking board combines functionality, a natural look and a good price-performance ratio. Thanks to its brushed surfaces, finely striated or with blockstripes, it not only has a special natural look, but also high slip resistance and surefootedness. Like all NaturinForm decking boards, it is also barefoot-friendly and splinter-free, making it ideal for private and public leisure facilities with pool areas and close proximity to water.



Version	Massive deck, monochrome
Format	width ca. 139 mm height ca. 21 mm
Surface	finely striated, brushed / blockstripes, brushed
Slip resistance	R12, finely striated R13, blockstripes
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 78
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3.14 kg/m

Compact *honeycomb*

Reference in Grey.
Discover more impressions here!

Compact *honeycomb*, the lightweight among WPC decking boards.

The price-conscious honeycomb profile
Like the solid decking board of the same name, *Compact honeycomb* combines the properties of high slip resistance, a natural look and an excellent price-performance ratio - all at a weight of just 2 kg/m.
The low weight of the decking board is also noticeable during installation, but special attention must be paid here to the correct substructure and the right accessories.
Cover caps must be fitted at the end of all honeycomb profile decking boards to prevent dirt and water from penetrating into the interior of the decking boards.



Version	Honeycomb profile deck, monochrome
Format	width ca. 139 mm height ca. 21 mm
Surface	finely striated, brushed / blockstripes, brushed
Slip resistance	R12, finely striated R13, blockstripes
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 78
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 1.97 kg/m

Compact *honeycomb plus*

Reference in Graphite Grey. **Discover more impressions here!**

A decking board with individual character for cosy moments outdoors.

Style and individuality
Compact honeycomb plus impresses with its functionality paired with an finely embossed, stylish wooden decking look. It is finely striated on one side and embossed in block stripes on the other. Both sides are finely brushed. Choose between the multicoloured shades of Oak Brown and Chestnut Brown to create a cosy and warm atmosphere, or elegant Graphite Grey for a modern look. As with all NaturinForm decking boards, *Compact honeycomb plus* can be laid without visible screws.



Version	Honeycomb profile deck, multicoloured
Format	width ca. 140 mm height ca. 21 mm
Surface	finely striated, slightly brushed / blockstripes embossed, slightly brushed
Slip resistance	R10, finely striated R10, blockstripes
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 79
Special colours	s. pages 82–83
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 2.00 kg/m

durable and economical



Facade cladding made from WPC
This durable, low-maintenance alternative to wooden facades is used for new and existing buildings. In combination with appropriate thermal insulation, it is used as a curtain-type, rear-ventilated system.

02

Facade profiles



Creative

Reference in Amber Brown. **Discover more impressions here!**

The long-lasting facade, without major maintenance for new buildings and renovations.



Natural facade profile
The weather-resistant solid rhombus strip made of our quality wood composite material is used as a facade system for new and existing buildings. In combination with appropriate thermal insulation, the rhombus strip is used as a curtain-type, rear-ventilated system. The facade profile, which is available in three different sizes, can be laid both horizontally and vertically. For designing the corners, you can cut the facade profile flexibly to mitre at any angle or use the modern facade corner made of stainless steel, which is quick and easy to install and forms a shockproof transition to the strip.

Version	Massive profile, multicoloured
Total height	small: ca. 70 mm xl: ca. 103 mm xxl: ca.152 mm
Area covered	small: ca. 66 mm xl: ca. 99 mm xxl: ca. 148 mm
Thickness	small, xl, xxl: 17 mm
Surface	wood grain, finely brushed
Standard lengths	ca. 4 m / ca. 6 m, special lengths at extra charge
Colours	s. page 79
Special colours	s. pages 82–83
Requirement for 1 m²	small: ca. 15 m xl: ca. 10 m xxl: ca. 6.8 m
Weight 1 m	small: ca 1.08 kg xl: ca. 1.76 kg xxl: ca. 2.66 kg

Creative *exclusive*

Reference in Lava Grey. **Discover more impressions here!**

The perfect facade for purist architecture - for new buildings and renovations.



Exclusive embossed facade profile
The weather-resistant solid rhombus strip made of our quality wood composite material is used as a facade system for new and existing buildings. In combination with appropriate thermal insulation, the rhombus strip is used as a curtain-type, rear-ventilated system. The facade profile, which is available in three different sizes, can be laid both horizontally and vertically. For designing the corners, you can cut the facade profile flexibly to mitre at any angle or use the modern facade corner made of stainless steel, which is quick and easy to install and forms a shockproof transition to the strip. Find out more about "*Exclusive Line*" on page 16.

Version	Massive profile, multicoloured
Total height	small: ca. 70 mm xl: ca. 103 mm xxl: ca.152 mm
Area covered	small: ca. 66 mm xl: ca. 99 mm xxl: ca. 148 mm
Thickness	small, xl, xxl: 17 mm
Surface	one-sided embossed, matt
Standard lengths	ca. 4 m / ca. 6 m, special lengths at extra charge
Colours	s. page 80
Special colours	s. pages 82–83
Requirement for 1 m²	small: ca. 15 m xl: ca. 10 m xxl: ca. 6.8 m
Weight 1 m	small: ca 1.08 kg xl: ca. 1.76 kg xxl: ca. 2.66 kg

universal and low-maintenance



Bench profile made of WPC
Ideal for designing durable outdoor furniture. Whether for seating, park benches, canopies, pergolas, enclosures or privacy and sun protection. The low-maintenance profile is ideal for a wide range of applications in public spaces.

03

Bench profile



Constructive 65

Reference in Special Colour Light Brown. **Discover more impressions here!**

Perfect for customised outdoor furniture: benches, tables, canopies, enclosures, etc.



For low-maintenance outdoor furniture
With its modern, linear design and slim profile, *Constructive 65* is ideal for designing durable outdoor furniture in public spaces. Whether seating, park benches, canopies, pergolas, enclosures or privacy screens – the solid profile enables flexible and architecturally appealing solutions that blend in well with the cityscape. The construction profile weighs 3 kg/lfm and impresses with its smooth, unembossed surface. It is particularly easy to clean and can be easily cleaned with a high-pressure cleaner.

Version	Massive profile, monochrome
Format	width ca. 65 mm height ca. 40 mm
Surface	smooth
Standard lengths	ca. 4 m
Special lengths	ca. 2 – 6 m
Colours	s. page 81
Special colours	s. pages 82–83
Requirement for 1 m²	varies according to the distance between the profiles
Laying direction	horizontal and vertical
Weight	ca. 3 kg/m
Delivery time	varies according to purchase quantity

effectiv and modular



04 Fence systems made of WPC
Our privacy and sound insulation solutions combine functionality with design. Thanks to a modular structure, decorative inserts and flexible corner designs, the fences can be customised to suit your personal requirements.

04

Fence systems

Effective

Reference in Anthracite. **Discover more impressions here!**

More privacy for your favourite spot. With our modular privacy fence system.

Cost-effective privacy fence
Effective is our privacy fence with a wide variety of designs. Due to the modular design, heights and widths are freely selectable. The aluminium post as a ground anchor or with a base plate for bolting offers design freedom for all applicable designs. Corner constructions can be combined with the corner post of the *Flexible* sound insulation fence. *Effective* uses tongue and groove profiles that are simply stacked on top of each other. With the stainless steel or acrylic decorative inserts, it can be customised to suit your personal requirements.



Version	Privacy fence, monochrome and multicoloured
Final format	height from the ground ca. 178 cm, width ca. 180 cm
Inner elements	width ca. 180 mm height ca. 175 mm
Surface	unbrushed
Posts	for embedding in concrete or for bolting
Posts colours	brown, anthracite
Material	aluminium post, WPC slats
Colours	s. page 81
Noise protection	–

Flexible

Reference in Chestnut Brown. **Discover more impressions here!**

This fence can do more: enjoy the peace and quiet in your favourite spot.

Sound-insulating fence
The privacy and sound insulation fence creates favourite spots where you can completely relax and unwind. This not only means being undisturbed by prying eyes, but also enjoying acoustic peace and quiet. A special seal and special slats ensure improved sound insulation, which demonstrably reduces annoying ambient noise. *Flexible* uses tongue and groove profiles that are simply stacked on top of each other. With the stainless steel or acrylic decorative inserts, it can be customised to suit your personal requirements.



Version	Privacy fence and noise protection, monochrome and multicoloured
Final format	height from the ground ca. 180 cm, width ca. 180 cm
Inner elements	width ca. 180 mm height ca. 175 mm
Surface	unbrushed
Posts	for embedding in concrete or for bolting
Posts colours	brown, anthracite
Material	aluminium post, WPC slats
Colours	s. page 81
Noise protection	corresponds to category B3 of noise protection

Colour overview

Piazza Prima, p. 24



Oak Brown (multicoloured)



Royal Elm (multicoloured)



Nutmeg (multicoloured)



Nordic Ash (multicoloured)



Graphite Grey (multicoloured)

Piazza Prima, p. 24



Streaked Ebony (multicoloured)

Piazza Mondo, p. 26



Cream White (monochrome)



Ivory (multicoloured)



Californian Oak (multicoloured)

Exotic. Nuanced. Ipé.

With Ipé Nuances – the natural warm colour play of exotic wood on your deck.

New Colour
Ipé Nuances
from 2026

Ipé colour play
The surfaces of NaturinForm inspire with their particularly natural wood appearance. Piazza Mondo with its Ipé Nuances reflects the diverse color play of natural exotic woods and corresponds to nature. Thanks to the mixture of different shades and color gradients, every terrace in Ipé Nuances is unique.

Piazza Mondo, p. 26



Oak Brown (multicoloured)



Royal Elm (multicoloured)



Ipé Nuances (multicoloured)



Graphit Grey (multicoloured)



Streaked Ebony (multicoloured)

Colour overview

Piazza One/Pro, p. 28–30



Ivory (multicoloured)



Californian Oak (multicoloured)



Royal Elm (multicoloured)



Silver Teak (multicoloured)



Streaked Ebony (multicoloured)

Natureline, p. 32



Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)



Basalt Grey (multicoloured)

Exclusive, p. 34



Terra Brown (monochrome)



Lava Grey (monochrome)

Exclusive, p. 34



Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)



Basalt Grey (multicoloured)

Colour overview

Urban *flair*, p. 36



Linen (monochrome)



Sisal (monochrome)



Clay (monochrome)



Pebble (monochrome)



Lava Grey (monochrome)

Robust, p. 38



Terra Brown (monochrome)



Black Brown (monochrome)



Grey (monochrome)



Anthracite (monochrome)



Including
AR-visualisation
for the home

Configure patio

With the new patio deck configurator, you can design your decking including substructure, free-form shapes and slopes. Thanks to 3D and AR visualisation, you can get an immediate and uncomplicated first impression. Start now - from the comfort of your laptop or smartphone.

- \+ Large selection of patio decks
- \+ Over 30 colours
- \+ Free sample service
- \+ Specialist dealer in your area
- \+ Fast availability

Scan now &
configure
terrace

Colour overview

Popular *massive*, p. 40



Brown (monochrome)



Black Brown (monochrome)



Grey (monochrome)



Stone Grey (monochrome)



Anthracite (monochrome)

Smart, p. 42



Terra Brown (monochrome)



Black Brown (monochrome)



Grey (monochrome)



Anthracite (monochrome)

Smart (matt), p. 42



Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)



Basalt Grey (multicoloured)

Smart *click*, p. 44



Grey (monochrome)



Anthracite (monochrome)



Graphite Grey (multicoloured)



Chestnut Brown (multicoloured)

Colour overview

Strong, p. 46



Black Brown (monochrome)



Grey (monochrome)



Anthracite (monochrome)

Compact / Compact *honeycomb*, p. 48–51



Black Brown (monochrome)



Grey (monochrome)



Anthracite (monochrome)

Compact *honeycomb plus*, p. 52



Oak Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)

Creative, p. 56



Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)

Colour overview

Creative *exclusive*, p. 58



Lava Grey (monochrome)



Terra Brown (monochrome)

Creative *exclusive*, p. 58



Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)



Basalt Grey (multicoloured)

Constructive 65, p. 62

NEW



Amber Brown (monochrome)

NEW



Black Brown (monochrome)

NEW



Grey (monochrome)

Effective / Flexible, p. 66–69



Titanium Grey (monochrome)



Anthracite (monochrome)



Chestnut Brown (multicoloured)

Special colours on request

delivery time on request	Monochrome tones										
	Linen	Sisal	Clay	Terra Brown	Brown	Black Brown	Pebble	Grey	Stone Grey	Lava Grey	Anthracite
Massive decks from 50 m²											
Exclusive	●	●	●		●	●	●	●	●		●
Urban *flair*				●	●			●	●		
Natureline											
Robust	●	●	●		●		●		●	●	
Strong	●	●	●	●	●				●	●	
Smart	●	●	●		●		●		●	●	
Smart *click*	●	●	●	●	●	●	●		●	●	
Popular *massive*											
Compact (unbrushed)	●	●	●	●	●		●		●	●	
Honeycomb profile decks from 50 m²											
Compact *honeycomb* (unbrushed)	●	●	●	●	●		●		●	●	
Compact *honeycomb plus*											
Facade profile from 30 m² *											
Creative	●	●	●	●	●	●	●	●	●	●	●
Creative *exklusive*	●	●	●		●	●	●	●	●		●
Construction profiles **											
Constructive 65	●	●	●	●	●		●		●	●	●

* at least 10 pieces per individual length ** at least 800 running meters per color (at least 40 pieces per individual length)

Colour edition								Multicoloured tones					
Lemon Yellow	Sun Yellow	Natural	Brick Red	Moss Green	Forest Green	Sea Blue	Titanium Grey	Oak Brown	Amber Brown	Chestnut Brown	Graphite Grey	Basalt Grey	delivery time on request
													Massive decks from 50 m²
●	●	●	●	●	●	●	●						Exclusive
●	●	●	●	●	●	●	●						Urban *flair*
													Natureline
●	●	●	●	●	●	●	●						Robust
●	●	●	●	●	●	●	●	●	●	●	●	●	Strong
●	●	●	●	●	●	●	●						Smart
●	●	●	●	●	●	●	●	●	●			●	Smart *click*
													Popular *massive*
●	●	●	●	●	●	●	●	●	●	●	●	●	Compact (unbrushed)
													Honeycomb profile decks from 50 m²
●	●	●	●	●	●	●	●						Compact *honeycomb* (unbrushed)
									●			●	Compact *honeycomb plus*
													Facade profile from 30 m² *
●	●	●	●	●	●	●	●					●	Creative
●	●	●	●	●	●	●	●						Creative *exklusive*
													Construction profiles ***
													Constructive 65

Interesting facts

Product characteristics
The wood composite made by NaturinForm is a material combination made of 70 % wooden fibres of pine and spruce, ca. 30 % food-safe PE, UV stabilizers and colour pads. Due to the high percentage of wood the product acts like such, with changing colour caused by weathering.

Advantages
Our decks made of wood composite are non-slippery and barefoot friendly - without splinters or tears. Life quality is already increased by its easy maintenance. You can save time, work and money, as annual oiling or painting is unnecessary. Special lengths from 2 m to 13 m are possible.

Colour development
Generally, all our products, with the exception of co-extruded Piazza products, go through a maturing process that is triggered by light, air, sun, location, and humidity. This colour change can proceed, depending on the weather impact, and where the product is laid. The alternation of sunlight, shade, and humidity, can lead to a change in the colour, for example, so that the WPC profile decks become lighter, depending on the exact utilization and set up of the product. With this colour change the surface of the freshly produced product loses the initial gloss and the yellowish shade of the wooden fibres that appears to begin with will recede as time goes by after being exposed to weather effects. The desired natural matt colour tone emerges. These colour changes due to weathering are typical for the product, as for the natural product wood, and are not a defect, but a normal product feature due to the high percentage of wood. Different kinds of weather impacts, i.e. if part of the surface is covered by a roof, can lead to different colouring developments.
Please note that the shades of our Colouredition decks can change slightly due to weathering and natural maturing processes. This is because of the high percentage of wood, which, as a natural product, can change its colouring. In production this means that we process a quality that is as even as possible. However, fluctuations in the high-quality raw material may nevertheless result in differences in colour when different batches are installed. This does not affect the durability and is therefore not a reason for complaint.

Take a look at the individual colour maturity of our products on pages at www.naturinform.com

Curvature in privacy and noise protection fences
As all of NaturinForm's privacy and noise protection fences (*Effective*, *Flexible*, as well as our universal slats) are made of highest quality WPC profiles that exist to a high percentage, 70 %, of domestic wood, our WPC profiles weather very much like the natural product wood. Constant interaction between sun rays, shading and humidity lead to a change in colour, depending, in individual cases, on how they are actually used and installed (DIN EN 15534-6). This can lead to the WPC profiles' fading, and they may also change their shape slightly, as in curve a bit. These shape and colour changes caused by weathering are, as with the natural product, specific to the product and are not a fault, but due to the high percentage of wood a natural, normal product feature.

Impact of chlorine or salt water
Chlorine and salt water have no negative effect on the characteristics of NaturinForm's patio decks, facades, and privacy shields. tested according to DIN EN ISO 9227:2017-07. When laying a patio, stainless steel V4A mounting brackets must be used, instead of standard stainless steel brackets.

Temperature effect
Wood composite materials can react to temperature fluctuations with visible expansion and shrinkage behaviour. Therefore, you need to incorporate expansion joints and appropriate distances in your fixed components. The decks should be laid with brackets, so that the individual decks can be moved with ease.

Impact of Insolation
On hot days, and in areas sheltered from wind, it may not be possible to use with direct skin contact, due to high surface temperatures.

Water stains
On partially roofed terraces, water stains may form in the transition area between roofing and open space. Rainwater is flushed through the covering to the roofing and dries off later. Dust particles are thereby dampened and then dry out, remaining on the surface. On the open area, which is constantly exposed to sun and rain, this effect is not very strong and is due to the manner of construction. There is no impact on the quality and it is therefore not a reason for complaint. The water stains can usually be removed using clear water and standard cleaning tools.

Wood Pockets
NaturinForm products consists of approx. 70% wood fibres, which are specially treated, dried and fed into the manufacturing process. In this raw material there may be low inclusions of other natural fibres, such as bast (the transition layer from bark to wood), for example. As a result of weathering and humidity, these particles can become visible on the surface.

Electrostatic charge
An electrostatic charge can occur when relative humidity is low and there has been a longer period of aridity. By using a ground cable between the surface and a balustrade, wall, or anything equivalent, it is possible to avoid electrostatic charges.

Durability
Long-term durability is directly related to the well-planned and quick-drying substructure. It is important to avoid strain on the material through heat build-up or permanent waterlogging. Please take into account that dammed-up water can occur in roof terraces causing the substructure to be submerged in water.

Maintenance and care
Cleaning NaturinForm products is absolutely uncomplicated using water. Slight dirt can easily be brushed off with a hose and broom or scrubbed. If there is more dirt it is possible to use a high pressure cleaner (not a steam cleaner) with a maximum of 80 bar, from a distance of at least 20 cm to the material. Because of the polymer particles our wood composite products are simple to maintain. Painting or oiling to extend its life expectation is unneccessary. With difficult stains, such as fat or soot, please use our specially developed biologically degradable cleaning agent. Due to environmental impacts, sediments such as sand from the Sahara, soot particles, or pollen can collect on the surface of any WPC product. These deposits will not permeate the surface and can be dissolved or respectively washed off in most cases using moisture. In the autumn fog, dew, or melted water can cause a slow and irregular shedding and removal of the deposits. They cannot just be washed off by the rain, though, but must be cleaned using water (with wood facades environmental sediments can permeate the surface and change the colouring. Deposits cannot be removed by rain.) Fertilisers containing iron or metal residues in the groundwater may cause discolouration.

Laying / Requirements per square metre
For decks that are approx. 140 mm wide, you will need approx. 7 decks à 1 m as well as approx. 16 stainless steel brackets with screws; for approx. 162 mm wide decks, approx. 6 decks à 1 m as well as approx. 14 stainless steel brackets with screws; for 200 mm wide decks, you will need approx. 5 decks à 1 m as well as approx. 12 stainless steel brackets with screws; for 245 mm wide decks, approx. 4 decks à 1 m and approx. 11 stainless steel brackets with screws. Depending on the local conditions, you will need 2.5-3 m of base profile. Patio feet: Depending on load-bearing necessity: max. 4–5 pieces per square metre.

Installation direction
In the manufacturing process, the deck surfaces are brushed, which creates a fibre direction. Failure to observe the deck fibre direction during installation may lead to varied colour impressions due to banding. The lateral grooves of the decks are marked with arrows for orientation to facilitate visually uniform laying.

Laying / assembly manuals
Laying manuals on the internet and extensive instructions show how important it is to lay the decks according to the guidelines. The adherence to the assembly manual for the privacy shield and the laying manual for the decks are the basis for the guarantee that we provide. You can find and download these laying and assembly manuals at www.naturinform.com.

We offer you the highest quality. That is why we subject our products to continuous quality controls and stress tests.

Resistency inspection against wood-destroying fungi – Durability Class 1 (very durable)
In the area process engineering wood materials at the Fraunhofer-Institut for wood research Wilhelm-Klauditz-Institut WKI, Braunschweig, in February 2012 the resistancy of our wood composite decks were tested in accordance to DIN/TS 15534-1 (2007) or DIN ENV 12038 (2002) respectively. The evaluation took place according to testing wood (DIN CEN/TS 15083-1) with the result - Durability Class 1 - very durable.

"Safety of Toys – Part 3: Migration of specific elements" test – DIN EN 71-3:2019
In June 2025, Fraunhofer-Institut für Holzforschung Wilhelm-Klauditz-Institut WKI, Brunswick, tested various decking boards from the NaturinForm range for the "safety of toys". The test report confirms that the material tested satisfies the thresholds according to DIN EN 71-3:2019 "Safety of Toys – Part 3: Migration of specific elements".

PEFC
PEFC/04-31-2196

PEFC-certified: HW-PEFC-CoC-0286-23
HW-Zert GmbH, notified by PEFC Deutschland e.V. , has confirms that NaturinForm GmbH uses a company monitoring system that conforms with the Chain-of-Custody-Requirements for PEFC programmes for the Endorsement of Forest Certification according to the standard PEFC ST 2002:2020 in the currently valid version (see also www.pefc.org).

EPD

Environmental product declaration according to ISO 14025 and EN 15804 EPD from the Institut Bauern and Umwelt e.V. (IBU)
'Together with the VHI we are committed to sustainable building from EPDs for WPC patio decks and WPC facade elements at the IBU'. (Verband der Deutschen Holzwerkstoffindustrie e.V.)

Mitglied der DGNB

Member of DGNB – German Sustainable Building Council
The DGNB is Europe's largest network for sustainable building and has been working since 2007 for demonstrably climate-friendly buildings, liveable neighbourhoods, in short for a sustainable built environment.

Evaluation fire behaviour - Class E
The ift Rosenheim GmbH tested *Popular* for its fire behaviour according to DIN EN 13501-1 with the result Class E. This is very comparable to wood.

Evaluation non-slippery - DIN 51130 and DIN 51097
Our brushed deck surfaces are especially non-slippery - even when wet - and therefor very suitable for public areas (swimming pools, kindergardens, hotel patios, etc.). In individual cases the following test results were achieved with the TÜV Rheinland / LGA, according to DIN 51130. The test results can be found on the respective product pages.

GH

Qualitätsgemeinschaft Holzwerkstoffe e.V. Berlin
As a member of the Qualitätsgemeinschaft Holzwerkstoffe e.V. Berlin, NaturinForm GmbH is a driver for secured quality production. The resulting high demands thereof are tested internally on a daily basis, and regularly also at external testing institutes with extremely good results. Our wood composite material quality consists to 100 % of German wood fibres with the PEFC-certification and the pure polymer used is freshly produced PE.

Disposal
It is recommended to dispose of WPC-Leftovers in bulk rubbish collectors or waste facilities. This may be chargeable. Alternatively, NaturinForm's customers can return their products (sustainable return policy.)

Return option
We are proud to be able to present you a quality product that is fully ecological and sustainable. In our production process we only use wooden fibres from suppliers that have been awarded the PEFC certification. These are wooden products from sustainable forestry that meet ecological standards. The certification acknowledging that our NaturinForm WPC decking profiles meet the high quality standards of the Qualitätsgemeinschaft Holzwerk confirms not only the technical and health safety of our products, but also their environmental compatibility. We are also able to recycle our WPC products by feeding them back into our production procedure to reuse them in an environmentally friendly and sustainable way. Therefore we are happy to take back our original NaturinForm WPC products if you deliver them to our factory Redwitz an der Rodach, Flurstrasse 7, after we have checked that the product is clean, free of charge. As there is no legal liability for us to do so, and this is a voluntary and non-binding take-back option, we recommend you get in touch with us before returning your used WPC products to guarantee a smooth procedure. By acting with an ecological conscience

Recyclingbox
Collect all the leftovers from your projects, and we will feed them 100 % directly back into our production process. Simply fill the box with NaturinForm products and register online for the recycling box to be picked up. Please note that you may only collect WPC from NaturinForm in the Re-Form-Box, should there be products from other companies in the box, disposal will be billed according to effort, but at a minimum at 50 Euros. Find more information at: www.naturinform.de/recyclingbox.



Space for notes



Scan
now &
get
inspired

Natur
inForm

NaturinForm GmbH
Flurstraße 7, 96257 Redwitz a. d. Rodach
Tel +49 (0) 9574 65473-0
Fax +49 (0) 9574 65473-20
info@naturinform.com
www.naturinform.com

This document has been carefully prepared and is constantly being updated. The print colours may vary. Please find the current and valid version at: www.naturinform.com

Status: 20.02.2026